

Investigating The Simplex Lock: A Mathematical Adventure

Andy Katz

Humanities & Leadership High School
Lawrence, MA

Boston University
PROMYS for Teachers
Masters in Mathematics Teaching Candidate



The Simplex Lock

- ❑ 5-Button mechanical device
- ❑ Advertising claims “Thousands of combinations”
- ❑ How many are there?
- ❑ Let’s investigate!





Simplex Lock Combinations

- ❑ A combination is a sequence of 0–5 pushes using 0-5 buttons
 - ❑ Each button is used at most once (once pushed, it stays in)
 - ❑ Each push may include any of the buttons that have not yet been pushed, up to/including all remaining buttons
 - ❑ A combination need *not* include all buttons (“unlocked” = 0 buttons, 0 pushes)
 - ❑ When 2 or more buttons are pushed simultaneously, order does *not* matter
-

Combination Terminology



- “|” delineates buttons pushed in sequence
 - “1|2|3” uses 3 buttons, in order, 3 pushes
 - “3|2|1” is a different combination
 - “+” groups buttons pushed simultaneously
 - “1+2+3” uses 3 buttons simultaneously, 1 push
 - Order not a factor: “1+2+3” = “3+2+1”
 - “1|2+3” uses 3 buttons, 2 pushes
 - Push 1, then 2+3 simultaneously
 - “1|2+3” = “1|3+2”
 - “2+3|1” is a different combination
-

Examples of Simplex Lock Combinations

- "1+5|2|3|4" (5 buttons, 4 pushes)
- "2|1+5|3|4" (5 buttons, 4 pushes)


- "1+2+3+4+5" (5 buttons, 1 push)

- "1|2|3|4|5" (5 buttons, 5 pushes)
- "2|1|3|4|5" (5 buttons, 5 pushes)

- "4+2" (2 buttons, 1 push)
- "4+5" (2 buttons, 1 push)
- "1+3|4+5" (4 buttons, 2 pushes)



Comparing Mechanical Locks

Comparison of Locks and Their Numbers of Combinations		
		
5-Button Simplex Lock	Master Combination Lock (3 turns, 40 positions each*)	Barrel Combination Lock (4 wheels, 10 positions each)
???	$40^3 \approx 64,000^*$	$10^4 = 10,000$

Problem Solving Strategies

- Simplify
 - Start with a simpler problem
 - Organize
 - Tables
 - Enumeration strategies; count by:
 - Buttons used (0-5)
 - Pushes used (0-5)
 - Shape (xxx, x|xx, xx|x, x|x|x)
 - Generalize
-

Strategy: Simplify

- List the combinations on a 1-button Simplex Lock
 - Unlocked (0 buttons, 0 pushes)
 - 1 (1 button, 1 push)

 - Now, list the combinations on a 2-button Simplex Lock
-

Strategy: Simplify & Organize

- Combinations on a 2-button Simplex Lock
 - Unlocked (0 buttons, 0 pushes)
 - 1 (1 button, 1 push)
 - 2 (1 button, 1 push)
 - 1+2 (2 buttons, 1 push)
 - 1|2 (2 buttons, 2 pushes)
 - 2|1 (2 buttons, 2 pushes)
 - Now, list the combinations on a 3-button Simplex Lock
-

Factorial Notation

- $n!$ is the product of all positive integers less than or equal to n
 - $3! = 3 \times 2 \times 1$
 - A set of 3 elements can be *arranged* 6 ways
 - $1! = 1$
 - Recall that $0! = 1$
 - For students who are confused by this, I remind them that there is still 1 way to arrange an empty set of elements (see 0-button lock)
-

Combinatorics: Permutations

- Permutation: ordered *arrangement* of elements from a set
 - In how many ways can a set of 3 elements be *arranged*?
 - List them
 - Any ways to count these?
-

Combinatorics: Permutations

- $P(n,r)$ is the number of possible arrangements of r elements from a set of n elements

$$P(n,r) = \frac{n!}{(n-r)!}$$

- On a 3-button lock, the number of *sequential* 2-button arrangements (example: "1|2") is $P(3,2)$

$$P(3,2) = \frac{3!}{(3-2)!} = 6$$

- On a 3-button lock, the number of *sequential* 3-button arrangements (example: "1|2|3") is $P(3,3)$

$$P(3,3) = \frac{3!}{(3-3)!} = 6$$

Combinatorics: Combinations

- “ n choose k ” is the number of ways to choose k elements (combinations) from a set of n elements

$$\binom{n}{k} = \frac{n!}{(n-k)!k!}$$

- On a 5-button lock, the number of 3-button, 1-push combinations (example: “2+5+3”) is “5 choose 3”

$$\binom{5}{3} = \frac{5!}{2!3!} = 10$$

Combinatorial Notation

- On a 5-button lock, "1|2+3" is
"5 choose 1, 4 choose 2"

$$\binom{5}{1}\binom{4}{2} = \left(\frac{5!}{4!1!}\right)\left(\frac{4!}{2!}\right) = \frac{5!4!}{4!1!2!} = 30$$

- On a 5-button lock, "1+2|3" is
"5 choose 2, 3 choose 1"

$$\binom{5}{2}\binom{3}{1} = \left(\frac{5!}{3!2!}\right)\left(\frac{3!}{2!1!}\right) = \frac{5!3!}{3!2!2!1!} = 30$$

- Since these behave identically,
we simplify counting of
permutations such as "1|2+3"
and "1+2|3" as follows

$$2\binom{5}{1}\binom{4}{2} = 2(30) = 60$$

Choose Numbers in Pascal's Triangle

- For “ n choose k ”
find row n , entry k
 - The first row is
numbered 0
 - The first entry in a
row is numbered 0

0				1			
1			1	1			
2		1	2	1			
3		1	3	3	1		
4		1	4	6	4	1	
5	1	5	10	10	5	1	
6	1	6	15	20	15	6	1

- “4 choose 2” = 6
-

3-Button Lock: Organize (by # buttons)

Buttons used (k)	Example	Notation	$\Sigma(k)$	Total
0	Unlocked	$\binom{3}{0} = 1$	1	26
1	1 or 2 or 3	$\binom{3}{1} = 3$	3	
2	1 2	$\binom{3}{1}\binom{2}{1} = 6$	9	
	1+2	$\binom{3}{2} = 3$		
3	1 2 3	$\binom{3}{1}\binom{2}{1}\binom{1}{1} = 6$	13	
	1 2+3 1+2 3	$2\binom{3}{1}\binom{2}{2} = 2(3) = 6$		
	1+2+3	$\binom{3}{3} = 1$		

3-Button Lock: Organize (by # pushes)

# Pushes	Example	Notation	$\Sigma(\text{pushes})$	Total
0	Unlocked	$\binom{3}{0} = 1$	1	26
1	1 or 2 or 3	$\binom{3}{1} = 3$	7	
	1+2	$\binom{3}{2} = 3$		
	1+2+3	$\binom{3}{3} = 1$		
2	1 2	$\binom{3}{1}\binom{2}{1} = 6$	12	
	1 2+3 1+2 3	$2\binom{3}{1}\binom{2}{2} = 2(3) = 6$		
3	1 2 3	$\binom{3}{1}\binom{2}{1}\binom{1}{1} = 6$	6	

The 5-Button Simplex Lock

5-button lock using 0 buttons	
Shapes	# Combinations
0	1 (unlocked)
5-button lock using 1 button	
Shapes	# Combinations
1	$\binom{5}{1} = 5$

The 5-Button Simplex Lock

5-button lock using 2 buttons	
Shapes	# Combinations
1 2	$\binom{5}{1}\binom{4}{1} = 20$
1+2	$\binom{5}{2} = 10$

The 5-Button Simplex Lock

5-button lock using 3 buttons	
Shapes	# Combinations
1 2 3	$\binom{5}{1}\binom{4}{1}\binom{3}{1} = 60$
1 2+3 1+2 3	$2\binom{5}{1}\binom{4}{2} = 2(30) = 60$
1+2+3	$\binom{5}{3} = 10$

The 5-Button Simplex Lock

5-button lock using 4 buttons	
Shapes	# Combinations
1 2 3 4	$\binom{5}{1}\binom{4}{1}\binom{3}{1}\binom{2}{1} = 120$
1 2 3+4 1 2+3 4 1+2 3 4	$3\binom{5}{1}\binom{4}{1}\binom{3}{2} = 3(60) = 180$
1+2 3+4	$\binom{5}{2}\binom{3}{2} = 30$
1 2+3+4 1+2+3 4	$2\binom{5}{1}\binom{4}{3} = 2(20) = 40$
1+2+3+4	$\binom{5}{4} = 5$

The 5-Button Simplex Lock

# Buttons Used	# Shapes	# Combinations
0	0	1
1	1	5
2	2	30
3	4	130
4	8	375
5	?	???

The 5-Button Simplex Lock

- Find numbers of combinations
 - Investigate the patterns
 - Make conjectures & generalizations
 - Shapes for n -button combinations
 - Combinations using n buttons
 - Combinations using k pushes
 - Prove `em
 - Are there formulas?
 - Excel, MATLAB etc.
 - Extensions
-

Simplex Lock Extensions

- In the 1960's, German-born mathematician Kurt Mahler introduced a form of polynomial expansions of binomial coefficients of the form $\binom{x}{n}$ where n are positive integers:

$$\binom{x}{1} = \frac{x!}{(x-1)!1!} = \frac{x}{1} = x$$

$$\binom{x}{2} = \frac{x!}{(x-2)!2!} = \frac{(x)(x-1)}{2!} = \frac{x^2 - x}{2}$$

$$\binom{x}{3} = \frac{x!}{(x-3)!3!} = \frac{(x)(x-1)(x-2)}{3!} = \frac{(x-2)(x^2 - x)}{6} = \frac{x^3 - 3x^2 + 2x}{6}$$

$$\binom{x}{4} = \frac{x!}{(x-4)!4!} = \frac{(x)(x-1)(x-2)(x-3)}{4!} = \frac{(x-3)(x^3 - 3x^2 + 2x)}{24} = \frac{x^4 - 6x^3 + 11x^2 - 6x}{24}$$

$$\binom{x}{5} = \frac{x!}{(x-5)!5!} = \frac{(x)(x-1)(x-2)(x-3)(x-4)}{5!} = \frac{(x-4)(x^4 - 6x^3 + 11x^2 - 6x)}{120} = \frac{x^5 - 10x^4 + 35x^3 - 50x^2 + 24x}{120}$$

Simplex Lock Extensions

- Writing each of these Mahler expansions in terms of relative powers of x we have:

$$x^1 = 1 \binom{x}{1}$$

$$x^2 = 2 \binom{x}{2} + 1 \binom{x}{1}$$

$$x^3 = 6 \binom{x}{3} + 6 \binom{x}{2} + 1 \binom{x}{1}$$

$$x^4 = 24 \binom{x}{4} + 36 \binom{x}{3} + 14 \binom{x}{2} + 1 \binom{x}{1}$$

$$x^5 = 120 \binom{x}{5} + 240 \binom{x}{4} + 150 \binom{x}{3} + 30 \binom{x}{2} + 1 \binom{x}{1}$$

Simplex Lock Extensions

- Comparing the 3rd Mahler expansion with the combinations of a 3-Button Simplex Lock *that utilize all 3 buttons*, we see some interesting connections:

$$x^3 = 6 \binom{x}{3} + 6 \binom{x}{2} + 1 \binom{x}{1}$$

3	1 2 3	$\binom{3}{1} \binom{2}{1} \binom{1}{1} = 6$
	1 2+3 1+2 3	$2 \binom{3}{1} \binom{2}{2} = 6$
	1+2+3	$\binom{3}{3} = 1$

My Own Current Research

- ❑ Closed form Simplex Lock formula?
 - ❑ Comparing Simplex Lock and Mahler basis
 - ❑ Proving connection between Mahler basis and Simplex Lock combinations
 - ❑ Investigating “Pascal-like” triangles generated by Simplex Lock combinations and Mahler basis terms
-

The Simplex Lock Problem

- ❑ Real world problem
 - ❑ Open-ended investigation
 - ❑ Entry at various skill levels
 - ❑ Cooperative learning & sharing
 - ❑ Multiple levels of exploration at various levels of interest, skill & time
-

The Simplex Lock Problem

- Thanks to Al Cuoco at EDC, and to Brian Harvey at UC Berkeley
- Special thanks to Professor Robert Pollack at Boston University
- More info on this and other cool projects at EDC website:

<http://www2.edc.org/makingmath/mathproj.asp>

- Contact me at adkatz@bu.edu
-